
DOMINO SCREENS BY RAZORTOOTHDESIGN DECORATIVE SCREENS AND WALL PANELS



Domino is a light and versatile solution to divide space or add a decorative element to your walls. Modular panels and minimal hardware allows endless possibilities for small and large scale applications for residential, office, retail and hospitality.

Single layer screens are attached to ceiling with rails or angles and can also be attached to floor for high traffic areas. Panels are split into modular sections and continuous patterns are created. All hardware, modular panel sizes and patterns are customized per project.

Standard support and hardware options include rails, sliding hardware, angle to floor and ceiling, cable suspension, and s/s panel to panel connecting hooks.

Our modern CNC screen design patterns can be scaled, modified, and graduated. Custom patterns can also be developed specific to your project.

Standard materials finish at 46" x 94", some material options finish at 58" x 118".

MATERIALS:

1/4" PVC panels, colors available for interior applications.1/8" Aluminum Composite panels, colors available for interior applications.

SUPPORTS:

Standard support and hardware options include, floor and ceiling rails, ceiling and floor angles, cable suspension, wall panels with spacer attachments. All hardware and supports are customized per project based on requirements.


PATTERNS:


Choose from our library of modern CNC pattern designs. All of our patterns can be scaled, modified and graduated to final dimensions of panels. Custom patterns can be developed specific to project.

HOW TO ORDER:

Call or send us an email with your sizes and hardware requirements and we will send you a quote. General lead time is 4-6 weeks, 8-12+ for larger projects.

PATTERNS BY RAZORTOOTHDESIGN






WWW.RAZORTOOTHDESIGN.COM


ANGLES TO FLOOR AND CEILING DOMNIO SINGLE LAYER MODULAR HANGING SCREEN



SINGLE LAYER MODULAR HANGING SCREEN+ROOM DIVIDER. For high traffic or public spaces such as hotel lobbies, office reception, restaurant entrance feature wall and to define areas. Floor to ceiling screen system is attached with angles to ceiling and floor. Panels are split into equal modular sections. Angles to floor and ceiling can support dimension up to 12' height and indefinite width. 1/8" aluminum composite modular panels are connected by SS hooks. Sleek materials combined with modern CNC patterns will add visually stunning effects to your design environment.

| MATERIAL 1: SIZES: COLORS: ADDITIONAL COLORS: | 1/8" Aluminum composite panels Standard modular panel sizes 23"x23", 46"x46", all sizes can be customized to fit final dimensions. Standard colors are white gloss/white gloss, black matte/black gloss, and red matte/red gloss. Anodized brushed metallic finishes are silver/silver, bronze/gold, black/copper. |
|--|---|
| ADDITIONAL INFO: | Aluminum composite panels are factory finished with different colors on front and back or with anodized finishes as listed. Additional colors may be available. |
| COMPONENTS: | CNC cut aluminum composite panels, 1.5" x 1.5" angles, SS connecting hooks. All supports and hardware powder coat finished to match. All hardware and templates necessary for installation are included. |
| INSTALLATION: | Shipped as modular tiles, angle supports, flat bar covers and SS connecting hooks. Angles are attached to ceiling and floor, top row of panels are attached to angles. Each additional rows are connected with SS hooks, bottom row of panels attach to floor angles for stability. Flat bar cover protects panels at top and bottom. |






FEATURE WALL PANELS DOMINO SINGLE LAYER WALL PANELS




SINGLE LAYER DECORATIVE WALL PANELS. Accentuate and direct focus to strategic locations with decorative wall panels. These screens can be framed to close off sides. Housing for LED lights can be integrated into the frames.

| MATERIAL 1: SIZE: | 1/8" Aluminum composite panels All screens are split into equal modular sections to create finished dimensions. Patterns can be continuous or tiled with borders. |
|--|--|
| COLORS: ADDITIONAL COLORS: ADDITIONAL INFO: | Standard colors are white gloss/white gloss, black matte/black gloss, red matte/red gloss. Anodized brushed metallic finishes are silver/silver, bronze/gold, black/copper. Aluminum composite panels are factory finished with different colors front and back or anodized finishes as listed. Additional colors may be available. |
| MATERIAL 2: SIZES: COLORS: ADDITIONAL INFO: | 1/4" Aluminum composite panels Standard single section 46" x94", 46"x118 Standard colors are white, black. Additional colors may be available please inquire. Additional colors may be available please inquire. |
| COMPONENTS: | CNC cut panels, 1" to 2.5" customized standoffs, hex button head screws, powder coat to match. All hardware necessary for installation included. |
| INSTALLATION: | Mark location with full size templates and drill pilot hole for standoffs, attach standoffs and covers. Attach panel to standoffs with hex button head screws from front. Plywood blocking beyond sheetrock required for this hardware. |





FEATURE WALL PANELS



DOUBLE LAYER DECORATIVE WALL PANELS. Best for large scale applications, double layer panels will add dramatic effects to large walls, stairwells, and elevator lobbies. Housing for LED lights can be integrated into the frames.

| MATERIAL 1: SIZES: | 1/8" Aluminum composite panels Panels are split to create finished dimensions. |
|---|---|
| COLORS: ADDITIONAL COLORS: ADDITIONAL INFO: | Maximum single section size is 46"x94", 46"x118", 58"x118". Standard colors are white gloss/white gloss, black matte/black gloss, red matte/red gloss. Anodized brushed metallic finishes are silver/silver, bronze/gold, black/copper. Aluminum composite panels are factory finished with different colors front and back or anodized finishes as listed. Additional colors may be available. |
| COMPONENTS: | CNC cut aluminum composite double layer panels with spacers attached, back panel to wall spacers. |
| INSTALLATION: | Mark location with full size templates and drill pilot holes, attach standoffs and covers. Attach panel to standoffs with screws from front. Plywood blocking beyond sheetrock required for this hardware. |







SLIDING SCREEN DOMINO SINGLE LAYER WITH CEILNG RAIL




SINGLE LAYER SCREEN WITH CEILING RAILS. Ceiling mounted rails can be in single, double or triple rail configuration depending on the finished length desired.

| MATERIAL 1: SIZES: COLORS: ADDITIONAL COLORS: | 1/4" Aluminum composite panels Standard single section 46" x 94", 46" x 118" Standard colors are white, black. Additional colors may be available please inquire. Anodized brushed metallic finishes are silver/silver, bronze/gold, black/copper. |
|--|---|
| MATERIAL 2: SIZES: COLORS: ADDITIONAL INFO: | ¹ ⁄₄" PVC panels Standard single section 46" x 94", 46" x 118" Standard colors are white, black, grey, red. Additional colors may be available please inquire. |
| MATERIAL 3: SIZES: COLORS: | ¹ ⁄ ₄ " HDPE panels Standard single section 53" x94" Standard colors are white, light grey, charcoal, and black. Additional colors may be available please inquire. |
| COMPONENTS: | CNC cut panels, 2x1 rails, all supports and hardware powder coat to match. All hardware necessary for installation included. |
| INSTALLATION: | Screens are shipped assembled with gliders attached to top of panels. For installation, attach ceiling rails, slide panel in, attach stoppers and end caps for rails. |










94.00




RAILS TO FLOOR AND CEILING



SINGLE LAYER SCREEN WITH RAILS TO FLOOR AND CEILNG. Great option for standard height rooms, single panel sections are attached to floor and ceiling with rails. Maximum height for this system is 94" or 118" in some materials. This system works best with standard height rooms or integrated with soffits, bases or half walls. Light weight but very stable solution to divide space or create privacy in homes or office.


| MATERIAL 1: SIZES: COLORS: | 1/4" Aluminum composite panels Standard single section 46" x 94", 46" x 118" Standard colors are white, black. Additional colors may be available please inquire. |
|----------------------------------|--|
| MATERIAL 2: SIZES: | 1⁄₄" PVC panels Standard single section 46" x 94", 46" x 118" |
| COLORS: | Standard colors are white, black, grey, and red. Additional colors may be available please inquire. |
| COMPONENTS: | CNC cut panels, 2"x1"rails, 1"x1" rails, all supports and hardware powder coat to match. All hardware necessary for installation included. |
| INSTALLATION: | Screens are shipped assembled with angles attached to top of panels. For installation, attach ceiling rails and floor rails, slide panel in, lock in place from back with set screws, insert end caps for rails. |




2.00

100







CABLE SUSPENSION DOMINO SINGLE LAYER SCREEN WITH CABLES TO CEILING AND FLOOR



SINGLE LAYER PANEL WITH CABLES TO CEILING AND FLOOR. Single panel screens are attached to floor and ceiling with cables. Panels finish at 94" or 118" height remaining height is adjusted with cable length. These screens will create privacy and define areas in office or home settings with minimal effort. Panels can be connected side to side with brackets to create continuous wall.

| MATERIAL 1: SIZES: COLORS: ADDITIONAL INFO: | 1/4" PVC Standard single section all colors 46"x94", for white only 46" x118" Standard colors are white, grey, black, red Additional colors may be available please inquire. |
|--|---|
| COMPONENTS: | CNC cut PVC panels, cables to ceiling and floor with turnbuckles attached through top and bottom channels. |
| INSTALLATION: | All screen sections are shipped assembled. For installation, place template on ceiling and mark 2 locations. Remove turnbuckle base from end of cables and screw into ceiling. Attach panels to ceiling by screwing in turnbuckles to base, adjust to level. Attach bottom cables to floor. |

